IN THE CLAIMS:

The following is a complete listing of claims in this application.

The amendments found in the paper filed on August 12, 2010 are deemed to have been entered.

Claims 1-39 (canceled).

40. (currently amended) An imidazole derivative of formula (I):

and acid addition salts and stereoisomeric forms thereof, wherein :

- R_1 and R_2 are each independently hydrogen, or a (C_1-C_6) alkylor a (C_2-C_8) eycloalkyl;
- Q is (CH2) X (CH2) A;
- . A is a direct link, O or NRa+
- X is a direct link or C(0);
- Q is selected from the group consisting of a direct link C(O), SO₂, CONH, C(O)(CH₂)_D, (CH₂)_D(O) and (CH₂)_D, where n is 0, 1 or 2;
- Z is the group

$$(R_9)_p$$

- one of R_3 and R_8 is hydroxy, cyano, (C_1-C_6) alkoxy or OSO₂NR_{1/2}R_{1/2}; and
- the other of R_3 and R_8 is hydrogen or a hydroxy, halogen, nitro, cyano, (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$, $OSO_2NR_{10}SO_2NR_{11}R_{12}$ group,
- R_4 is hydrogen and R_9 is hydrogen, hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, acyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$, or CO_2R_{10} group,
- when p=1, R_8 and R_9 together with the phenyl ring bearing them can also form a benzoxathiazine dioxide, $\frac{\partial P}{\partial x}$ a dihydrobenzoxathiazine dioxide, or benzoxathiazole dioxide;
- m and n are each independently is 0, 1, 2, 3 or 4;
- p is 1, 2, 3 or 4;
- with the proviso that when Q is $(CH_2)_n$, n is 0, 1 or 2 <u>and p is 1</u>, one of R_3 and R_8 is hydroxy, <u>nitro</u>, $NR_{10}R_{117}$, <u>or a OSO₂NR₁₀R₁₁₇, NR₁₂SO₂NR₁₄R₁₄₇, or OSO₂NR₁₄R₁₄₂ group; when p is 2, 3 or 4, each R_9 is other than hydrogen and can be the same or different;</u>
- $R_{\theta T}$ $R_{10},~R_{11}$ and R_{12} are each $\underline{independently}$ hydrogen $\underline{or~a}$ (C1-C6) alkyl.
- 41. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- one of R₃ and R₈ is cyano; and
- the other is hydrogen or a hydroxy, halogen, nitro, (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$ group.

Claim 42 (canceled).

43. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:

- R_9 is hydrogen or a hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, CO_2R_{10} , CHO, $NR_{12}SO_2NR_{10}R_{11}$ group.
- 44. (currently amended) A derivative according to claim $43\ \underline{40}$, and acid addition salts and stereoisomeric forms thereof, wherein:
- · R4-is-hydrogen; and
- R_9 is hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, CO_2R_{10} , or CHO. Claim 45 (canceled).
- 46. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- Z is

$$R_8$$
 $(R_9)_p$

- Q is $(CH_2)_n$ in which n 0, 1 or 2;
- R_8 is hydroxy, halogen, nitro, cyano or a (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, or $NR_{12}SO_2NR_{10}R_{11}$ group; and
- R_9 is hydrogen, hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, or $OSO_2NR_{10}R_{12}$.
- 47. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- n is 0 or 1; and
- R_9 is hydrogen, halogen, (C_1-C_6) alkoxy, acyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{31}$ or $NR_{12}SO_2NR_{10}R_{31}$.

- 48. (currently amended) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- n is 0 or 1;
- R₁₇ and R₂ and R₄ are each hydrogen; and
- R₉ is hydrogen, halogen, (C₁-C₆) alkyl or OSO₂NR₁₀R₁₁.
- 49. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein:
- n and p are 1;
- R_8 is a hydroxy, halogen, nitro, cyano, (C_1-C_6) alkoxy, $NR_{10}R_{11}$, $SO_2NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, $NR_{12}SO_2NR_{10}R_{11}$ or $OSO_2NR_{10}SO_2NR_{11}R_{12}$ group;
- R_9 a hydroxy, cyano, halogen, nitro, (C_1-C_6) alkyl, (C_1-C_6) alkoxy, trifluoromethyl, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$, CO_2R_{10} or CHO group; and
- R₃ is cyano, hydroxy, or OSO₂NR₁₀R₁₁.
- 50. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein one of R_3 and R_8 is hydroxy, cyano or $OSO_2NR_{10}R_{11}$ and the other of R_3 and R_8 is hydroxy, nitro, $NR_{10}R_{11}$, $OSO_2NR_{10}R_{11}$ or $NR_{12}SO_2NR_{10}R_{11}$.
- 51. (previously presented) A derivative according to claim 50, and acid addition salts and stereoisomeric forms thereof, wherein one of R_3 and R_8 is cyano or $OSO_2NR_{10}R_{11}$ and the other is hydroxy or $OSO_2NR_{10}R_{11}$.
- 52. (previously presented) A derivative according to claim 40, and acid addition salts and stereoisomeric forms thereof, wherein R_{10} and R_{11} are hydrogen.
- 53. (previously presented) A compound according to claim 40, or a pharmaceutically acceptable salt thereof for use as an active therapeutic substance.

- 54. (previously presented) A pharmaceutical composition comprising a derivative according to claim 40, or a pharmaceutically acceptable acid addition salt thereof, and a pharmaceutically acceptable carrier.
- 55. (previously presented) The pharmaceutical composition according to claim 54, comprising from 0.1 to 400 mg of said derivative.
- 56. (currently amended) An imidazole derivative according to claim 40, which is selected the group consisting of:
- 4-[N-(1H-imidazol-1-yl)-N-(4-methoxyphenyl)amino]methylbenzonitrile,
- 4-[N-(4-hydroxyphenyl)-N-(1H-imidazol-1-yl)amino]methylbenzonitrile,
- 4-[N-(4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile
- 4-[N-(3-chloro-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-vl)amino|benzonitrile,
- 4-[N-(3-bromo-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 4-[N-(4-hydroxy-3-methoxyphenylmethyl)-N-(1H-imidazol-1-yl)amino] benzonitrile,
- 4-[N-(2,3,5,6-tetrafluoro-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino] benzonitrile,
- 4-[N-(3-formyl-4-hydroxyphenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 4-{[N-(4-cyanopheny1)-N-(1H-imidazol-1-yl)amino]methyl}benzene sulphonamide,
- 4-[N-(4-hydroxy-3-nitrophenylmethyl)-N-(1H-imidazol-1-yl)amino]benzonitrile,
- 5 [[N (4 cyanophenyl) N (1H imidazol 1 yl)amino]methyl]-2 methoxybenzoic acid,

- 4-[N-(1H-imidazol-1-yl)-N-(4-nitrophenyl)amino]benzonitrile,
- N-(1H-imidazol-1-yl)-N-(4-cyanophenyl)-2-(4-fluorophenyl)acetamide,
- N-(1H-imidazol-1-y1)-N-(4-cyanopheny1)-2-(4-hydroxypheny1)acetamide,
- N-(4-cyanopheny1)-3-(4-hydroxypheny1)-N-(1H-imidazol-1-yl)propanamide,
- N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)-4-(phenylmethoxy)-benzensulfonamide,
- 4-[N-(3-amino-4-hydroxy-phenylmethyl)-N-(1H-imidazol-1-yl)amino| benzonitrile,
- 4-{N-[2-(4-hydroxyphenoxy)ethyl]-N-(1H-imidazol-1-yl)amino}benzonitrile,
- N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)-4-hydroxybenzensulfonamide,
- 4-[N-(4-aminophenyl)-N-(1H-imidazol-1-vl)aminolbenzonitrile,
- Sulfamic acid 4-[N-(4-cyanophenylmethyl)-N-(1H-imidazol-1yl)amino]phenyl ester,
- Sulfamic acid-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester,
- Sulfamic acid 2-chloro-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)amino]methyl}phenyl ester,
- Sulfamic acid 2-bromo-4-{[N-(4-cyanopheny1)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester, hydrochloride,
- Sulfamic acid 2-methoxy-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester,
- Sulfamic acid 2,3,5,6-tetrafluoro-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)amino] methyl}phenyl ester,

- 4-[N-[(2,2-dioxido-1,2,3-benzoxathiazin-6-y1)methy1]-N-(1H-imidazo1-1-y1)amino] benzonitrile,
- $N-\{4-[N-(4-cyanophenyl)-N-(1H-imidazol-1-yl) amino]phenyl\}sulfamide,$
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]sulfonyl}phenyl ester hydrochloride,
- Sulfamic acid $4-\{2-[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)amino]ethoxy} phenyl ester,$
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)-carbamoyl]-methyl} phenyl ester,
- Sulfamic acid $4-\{[N-(4-cyanopheny1)-N-(1H-imidazol-1y1)amino]-3-oxopropy1\}$ phenyl ester,
- Sulfamic acid 3-(aminosulfonyl)amino-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)amino]methyl}phenyl ester,
- 2-Bromo-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl amidimidodisulfate acid,
- $\begin{array}{lll} \bullet & 4-[N-[\,(2,2-\mbox{dioxido-3},4-\mbox{dihydro-1},2,3-\mbox{benzoxathiazin-6-yl)} \ \mbox{methyl}]-N-(1\mbox{H-imidazol-1-yl}) \ \mbox{amino}] \ \mbox{benzonitrile}, \end{array}$
- 5-{[N-(4-cyanophenyl)-N-(1H-imidazol-1-yl)amino]methyl}-2-hydroxybenzoic acid,
- 4-[N-(1H-imidazol-1-yl)-N-(phenyl)amino]benzonitrile,
- 4-[N-(3-tosylamino-4-hydroxy-benzyl)-N-(1H-imidazol-1-yl) amino] benzonitrile,
- 4-[N-[(2,2-dioxido-3-tosyl-3H-1,2,3-benzoxathiazol-5-yl)methyl]-N-(1H-imidazol-1-yl)amino]benzonitrile,
- $\begin{array}{ll} \bullet & 4-[\text{N-[(2,2-dioxido-3H-1,2,3-benzoxathiazol-5-yl)methyl]} \\ \text{N-(1H-imidazol-1-yl)amino]benzonitrile, } & \text{and} \end{array}$
- N-(4-cyanopheny)-N-(1H-imidazol-1-yl)-N'-phenylurea,
- 4-[N-(1H-imidazol-1-y1)-N-(4ethoxyphenyl)amino|methylbenzonitrile, and

• 4-[N-(4-hydroxyphenyl)-N-(1H-imidazol-1yl)amino|methylbenzonitrile.

- 57. (previously presented) An imidazole derivative according to claim 40, which is selected from the group consisting of:
- Sulfamic acid 4-[N-(4-cyanophenylmethyl)-N-(1H-imidazol-lyl)amino]phenyl ester,
- Sulfamic acid-4-{[N-(4-cyanopheny1)-N-(1H-imidazol-1y1)amino]methyl}phenyl ester,
- Sulfamic acid 2-chloro-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester,
- Sulfamic acid 2-bromo-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)amino] methyl}phenyl ester hydrochloride,
- Sulfamic acid 2-methoxy-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino] methyl}phenyl ester,
- Sulfamic acid 2,3,5,6-tetrafluoro-4-{ $[N-(4-cyanopheny1)-N-(1H-imidazol-1y1)amino] methyl}$ phenyl ester,
- 4-[N-[(2,2-dioxido-1,2,3-benzoxathiazin-6-yl)methyl]-N-(lH-imidazol-1-yl)amino] benzonitrile,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)amino]sulfonyl}phenyl ester hydrochloride,
- Sulfamic acid $4-\{2-[N-(4-cyanopheny1)-N-(1H-imidazol-1y1)amino]ethoxy\}$ phenyl ester,
- Sulfamic acid 4-{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)-carbamoyl]-methyl} phenyl ester,
- Sulfamic acid $4-\{[N-(4-cyanophenyl)-N-(1H-imidazol-lyl)amino]-3-oxopropyl\}$ phenyl ester, and
- Sulfamic acid 3-(aminosulfonyl)amino-4-{[N-(4-cyanophenyl)-N-(1H-imidazol-1yl)amino]methyl}phenyl ester.
- 58. (previously presented) An imidazole derivative according to claim 40, which is sulfamic acid 2-bromo-4-{[N-

 $\label{lem:continuous} (\mbox{4-cyanopheny1}) - \mbox{N-(1H-imidazol-ly1)$ amino] methy1} pheny1 \ \mbox{ester hydrochloride.}$

59. (new) $5-\{[N-(4-cyanopheny1)-N-(1H-imidazol-1-y1)amino]methy1\}-2-methoxybenzoic acid.$